


DI4522

Dishwashers, Universal, Fully-integrated built-in , 45 cm, Black, E



AQUASTOP

Most Smeg dishwashers have Total acquastop, an electronic device fitted to the water intake hose and the base of the machine, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately directly from the source when necessary, preventing water spillages onto the floor.



DELAY TIMER

A delay timer can be set to run the programme at a convenient time or to take advantage of off-peak energy periods.



TYPE

Product Family: Dishwashers • Commercial height: 82 cm • Installation: Fully-integrated built-in • Width: 45 cm • Kitchen panel: Not supplied • EAN code: 8017709302931

AESTHETICS

Colour: Black • Finishing: Glossy Black • Aesthetics: Universal • Front panel colour: Black • Door type: Galvanized • LED/display colour: White • Buttons colour: Black

PROGRAMS / FUNCTIONS

No. of programmes: 6 • Soak: Yes • Express 50°: Yes • ECO: Yes • Self clean: Yes • Washing temperatures: 50, 60 °C • Mix 60°: Yes • Auto 50°-60°: Yes

OPTIONS

Delay timer option: 3 hours • Extreme option: Yes

BASKETS

N° baskets: 2 • Basket colour: Grey • Basket components colour: Grey • Handle: In plastic on upper and lower basket • Upper Basket: With central fixed racks • Height adjustment of the upper basket: On two levels (4 cm) • Lower Basket: With fixed racks • Largest loadable dish in upper basket: 20,0 cm • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 31,5 cm • Cutlery basket: Yes • Colour Inner Components: Grey

TECHNICAL FEATURES

Controls: Electronic • Door opening system: Yes • On/off indicator: Yes • Salt light indicator: Light • Rinse aid indicator: Light • End of cycle indicator: Acoustic signal • Washing system: Standard • Drying system: Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle • Motor: Inverter 2.0 • Water softener: With electronic setting • Flood protection system: Total Acquastop • Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35% • Max water hardness: 90°FH; 50°dH • Steam protection: In plastic • Tank material: Stainless steel • Filter: Stainless steel • Concealed heating element: Yes • Min. and max. frontal panel weight: 2 - 7,5 kg • Hinges: Self balancing, Sliding, FLEXIFIT • Min. and max plinth height: 40 - 175 mm • Adjustable feet: 6 cm, from 820 to 880 mm • Back feet adjustable from front: Yes

PERFORMANCE / ENERGY LABEL NEW

Energy Efficiency Class (Washing cycle): E • Energy consumption [per 100 cycles, based on the eco programme]: 70 kWh • Rated capacity (ps): 9 • Water consumption [per cycle]: 9.9 litres • Programme duration: 4:00 h:min • Airborne acoustical noise emissions (spinning phase): 46 dB(A) re 1 pW • Airborne acoustical noise emission class: C • Energy efficiency Index (EEI) (Washing cycle): 55.9

ELECTRICAL CONNECTION

Connected power: 1300 W • Voltage: 220-240 V • Type of connection: Single-phase • Frequency (Hz): 50 Hz • Power supply cable length: 140 cm

FEATURES ATTRIBUTES

Noise level: 45 - 47 dB(A)

LOGISTIC INFORMATION

Dimensions of the product HxWxD (mm): 818x446x550 • Net weight (kg): 30.200 kg • Gross weight (kg): 31.600 kg

OPTIONAL

KITPLV2: Extension kit, Dishwashers

